



Automotive Parts > Automotive Connectors > Automotive Housings > Timer Connector Housing



Nominal Voltage Architecture: 12 V, 24 V, 48 V
Connector & Housing Type: Housing for Female Terminals
Number of Positions: 2
Sealable: No
Operating Temperature Range: -40 – 130 °C [-40 – 266 °F]

[All Timer Connector Housing \(436\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Primary Locking Feature	Locking Lance
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	12 VDC
-------------------	--------



Nominal Voltage Architecture	12 V, 24 V, 48 V
Body Features	
Cable Exit Angle	180 °
Primary Product Color	Black
Contact Features	
Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Contact Current Rating (Max)	30 A
Mechanical Attachment	
Strain Relief	Add By Accessory
Terminal Position Assurance	No
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 66
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Product Width	22.5 mm[.88 in]
Product Length	11.7 mm[.46 in]
Connector Height	7 mm[.27 in]
Usage Conditions	
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-2
Packaging Features	
Packaging Quantity	2500



Packaging Method	Carton
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1718050-1
2 POS. TAB 2.8MM HSG

TE Part # 2302009-1
W/H REAR BLOWER, AI-TATA X104



TE Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB

Also in the Series | Junior Power Timer



Automotive Connector Locks & Position Assurance(8)



Automotive Housings(279)



Automotive Seals & Cavity Plugs(8)



Automotive Signal & Power Connector Housings(275)



Module Components(1)




Other Automotive Connector Accessories(3)

Customers Also Bought



TE Part #5677654001
RNF-3000-9/3-2-SP




TE Part #1-171706-1
FASTON 250 INS POD NYLON NAT



TE Part #CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part #2050981-1
48P ECU PLUG CONNECTOR



TE Part #CAT-M9194-CH8172
Multilock Connector Housing

TE Part #2434735-1
COVER,MQS ABDECKKAPPE 2X6POS



TE Part #2434749-1
12POS,MQS,REC HSG,COD A



TE Part #1-1534094-1
MQS ABDECKKAPPE2X8P



Documents

Product Drawings

JUN-POW-TIM GEH 2P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1355390-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1355390-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1355390-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_1355390-1_A4.3d_igs.zip

English

Customer View Model

ENG_CVM_1355390-1_A4.3d_stp.zip

English

Customer View Model

ENG_CVM_1355390-1_A4.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.