



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: **Feed-Through**

Modular Terminal Block Product Type: **Screw Terminal Block**

Primary Product Color: **Gray**

Product Spacing: **9.53 mm [.375 in]**

Number of Positions: **2**

Features

Product Type Features

Modular Terminal Block Product Type	Screw Terminal Block
-------------------------------------	----------------------

Configuration Features

Block Function	Feed-Through
Number of Positions	2

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	Gray
-----------------------	------

Contact Features

Contact Base Material	Copper Alloy
Wire Contact Termination Area Plating Material	Zinc
Contact Current Rating (Max)	35 A

Termination Features

Termination Method to Wire & Cable	Strap Screw
------------------------------------	-------------

Mechanical Attachment

Tightening Torque	12 in-lbs
-------------------	-----------

Housing Features

Centerline (Pitch)	9.53 mm [.375 in]
--------------------	-------------------



Dimensions

Product Spacing	9.53 mm [.375 in]
Wire Size	18 – 8 AWG

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought

TE Part #1SNA233000R0100
RC610

TE Part #1SNL610010R0000
C10/10

TE Part #1SNA231000R0700
RC510

TE Part #1SNL906602R0000
BJC16-2



Documents

CAD Files

Customer View Model

[ENG_CVM_CVM_1546143-1_E.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1546143-1_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1546143-1_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Agency Approvals

[UL Report](#)

English