



Connectors > D-Shaped Connectors



Number of Positions: 25

Connector & Housing Type: Plug

Connector System: Cable-to-Cable

Connector Mounting Type: Panel Mount

Connector Shell Size: 3

Features

Product Type Features

Connector & Housing Type	Plug
Connector System	Cable-to-Cable
Connector Shell Size	3
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	25
Power/Signal/Coax Combination	No

Body Features

Front Shell Material	Brass
Mating Retention Feature Material	Copper Alloy
Rear Shell Plating Material	Gold
Rear Shell Material	Brass
Front Shell Plating Material	Gold

Contact Features

Contact Type	Pin
Contact Size	Size 20
Contact Current Rating (Max)	7.5 A



Contact Options	Order Separately
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Connector Mounting Type	Panel Mount
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 205089-4
HD 20 PIN CONTACT, NON-MAG

TE Part # 91067-2
INSERTION/EXTRACTION TOOL

Customers Also Bought

TE Part # CX7844-000
55PC212A-26-6/9-9

TE Part # ZPF000000000206121
DBAS 979G 17-35 PN

TE Part # ZPF000000000206954
DBAS 974-17-35 SN

TE Part # 271577-000
55A4124-22-6/9-9CS2275

TE Part # ZPF0000000000003598
724-0003-20

TE Part # 211633-4
HD109 9 POS GMT ASY RCPT

TE Part # 211634-4
GMT ASY, RCPT 15 POSN, AMPLIMITE

TE Part # 211641-4
HD 109 37 POS GMT ASY PLG HSG

TE Part # 1-2157481-2
AMPLIMITE IP67, SZ2, 109, 15 POS, RCPT

TE Part # BAG0241-00
DRF50-1-SR-L-1-C-L30-H



Documents

Product Drawings

GMT ASY,PLUG,25 POS,AMPLIMITE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_211640-4_AB.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_211640-4_AB.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_211640-4_AB.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.