



Automotive Parts > Automotive Connectors > Automotive Housings > MQS, CONNECTOR HOUSING



Nominal Voltage Architecture: 12 V

Connector & Housing Type: **Housing for Female Terminals**

Number of Positions: **20**

Sealable: **No**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

[All MQS, CONNECTOR HOUSING \(156\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Primary Locking Feature	Locking Lance
Connector System	Wire-to-Board, Wire-to-Device, Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	20
Number of Rows	2

Electrical Characteristics

Nominal Voltage Architecture	12 V
------------------------------	------



Body Features

Cable Exit Angle	180 °
Primary Product Color	Black
Connector & Keying Code	A

Contact Features

Contact Size	.5mm
Contact Type	Receptacle
Mating Tab Width	.5 mm[.019 in]
Contact Current Rating (Max)	3 A

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF10
Centerline (Pitch)	1.8 mm[.07 in]

Dimensions

Row-to-Row Spacing	1.5 mm[.059 in]
Product Width	17.05 mm[.277 in]
Product Length	24.18 mm[.952 in]
Connector Height	7.2 mm[.283 in]

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operating Temperature (Max)	120 °C[248 °F]

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

--	--



Packaging Quantity	3000
Packaging Method	Box

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2208166-2
20POS,NANO MQS,HEADER HSG,
CODB

TE Part # 8-2177729-9
20POS,TAB 0.5X0.4,HEADER ASSY

TE Part # 2208165-1
20POS,NANO MQS,HEADER ASSY,
CODA

TE Part # CAT-M8793-T273
MQS, RECEPTACLE AND TAB

TE Part # 8-1579028-6
EXTRACTION TOOL

Also in the Series | Nano MQS

Automotive Connector Locks &
Position Assurance(3)

Automotive Housings(118)

Automotive Seals & Cavity Plugs(1)

Automotive Signal & Power Connector
Housings(118)

Customers Also Bought

TE Part #T4133012021-000
M12,FRONT MOUNT,FEMALE,A,2P,
SOLDER WIRE

TE Part #CONMCX012-R178
MCX Plug 50 Ohm Cable Crimp

TE Part #DT06-12SC-C017
PLG, 12P, GRN, BLOCKED, C

TE Part #2035360-1
1X4 GENERATION Y ASSY KEY A

TE Part #CAT-M8793-CH8172
MQS, CONNECTOR HOUSING

TE Part #2208339-2
10POS,NANOMQS,REC HSG,CODB

TE Part #827039-1
CIC.SOCKET ASSY.

TE Part #2298721-2
4P,MATE-AX,SOC HSG ASSY,180DEG,
COD B



Documents

Product Drawings

20POS,NANOMQS,REC HSG,CODE A

English

20POS,NANOMQS,REC HSG,CODE A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2141404-1_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2141404-1_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2141404-1_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English