




**Kemtron | Kemtron 1212 Series**

TE Internal #: 2418207-1

Moulded EMI Gasket, Conductive Sheet, Silicone Binding, Silver Plated Aluminum (Ag/Al) Filler, Rectangular, .8 mm [.031 in] Thick, Kemtron 1212 Series

[View on TE.com >](#)

EMI & EMC Solutions > EMI Shielding > EMI Gaskets > Moulded EMI Gasket Conductive Sheet



Gasket Type: **Moulded EMI Gasket**

Finished Type: **Conductive Sheet**

Binding Material: **Silicone**

Filler Material: **Silver Plated Aluminum (Ag/Al)**

Gasket Shape: **Rectangular**

[All Moulded EMI Gasket Conductive Sheet \(36\)](#)

**Features**

**Product Type Features**

Finished Type	Conductive Sheet
Binding Material	Silicone
Filler Material	Silver Plated Aluminum (Ag/Al)

**Electrical Characteristics**

Resistance to Petroleum	No
Volume Resistivity (Max)	.008 Ω.cm

**Body Features**

Gasket Type	Moulded EMI Gasket
Gasket Shape	Rectangular

**Dimensions**

Product Thickness	.8 mm [.031 in]
Product Width	300 mm [11.81 in]



### Usage Conditions

Operating Temperature Range	-55 – 160 °C[-67 – 320 °F]
-----------------------------	----------------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JAN 2025 (247)</p> <p>Candidate List Declared Against: JUNE 2024 (241)</p> <p>SVHC &gt; Threshold: DCP (.22% in Component)</p> <p><b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts


 TE Part # 2452696-1 SNA-C Sheet 300mm sq x 0.8mm	 TE Part # 2452650-1 SNA Sheet 300mm sq x 0.8mm	 TE Part # CAT-EMIG-0003 Moulded EMI Gasket Conductive Sheet
--	--	---



## Also in the Series | [Kemtron 1212 Series](#)



[EMI Gaskets\(19\)](#)



[Medical EMI & EMC Solutions\(19\)](#)

## Customers Also Bought



TE Part #T2020002008-000  
CDF-0.75



TE Part #T2020001008-000  
CDM-0.75



TE Part #260607-000  
55A1132-22-MST3-9CS2275



TE Part #ANT-5GWWS3-SMA  
Antenna Dipole Blade 5G/LTE Swivel  
SMA



TE Part #2129691-2  
USB3.1 TYPE-C REC MID-MOUNT  
0.485 HYBRID



TE Part #796858-3  
3 POS TERMI-BLOK PLUG RT ANGLE



TE Part #CAT-T3437-H85999A  
HT-SCE High Temperature Sleeves



TE Part #2306334-3  
SPRING FINGER 1.2H

## Documents

### Product Drawings

[SSA Sheet 300mm sq x 0.8mm](#)

English

### Datasheets & Catalog Pages

[Performance Materials brochure](#)

English

[Datasheet - Conductive Elastomers](#)

English

### Product Specifications

[Application Specification](#)

English