

2337218-6 ✓ ACTIVE

[Power Versa-Lock](#) | [Power Versa-Lock 5.0](#)

TE Internal #: 2337218-6

TPA (Terminal Position Assurance), Black, Glass-Filled PBT, Power Versa-Lock 5.0

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Position Assurance**

Connector Hardware Accessory Type: **TPA (Terminal Position Assurance)**

Primary Product Color: **Black**

Primary Product Material: **Glass-Filled PBT**

Operating Temperature Range: **-30 – 140 °C [-22 – 284 °F]**

Features

Product Type Features

Hardware Accessory Function	Position Assurance
Connector Hardware Accessory Type	TPA (Terminal Position Assurance)

Body Features

Primary Product Color	Black
Primary Product Material	Glass-Filled PBT

Usage Conditions

Operating Temperature Range	-30 – 140 °C[-22 – 284 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Method	Bag
------------------	-----

Product Compliance



[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer






This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


TE Part # 3-2337219-6 PWR VERSA-LOCK CAP, 2X3 KEY C	TE Part # 1-2336229-6 Power Versa-Lock PLUG, 2X3 KEY A	TE Part # 1-2336231-6 Power Versa-Lock TNL CAP, 2X3 KEY A	TE Part # 2-2337219-6 PWR VERSA-LOCK CAP, 2X3 KEY B
TE Part # 1-2337219-6 Power Versa-Lock CAP, 2X3 KEY A	TE Part # 3-2336229-6 Power Versa-Lock PLUG, 2X3 KEY C	TE Part # 2-2336231-6 Power Versa-Lock TNL CAP, 2X3 KEY B	TE Part # 2-2336229-6 Power Versa-Lock PLUG, 2X3 KEY B




Also in the Series | Power Versa-Lock 5.0



Customers Also Bought





Documents

Product Drawings

[Power Versa-Lock TPA, 2X3](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_2337218-6_C.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2337218-6_C.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_2337218-6_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[power-versa-lock-connectors-0421](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English