




EMI & EMC Solutions > EMI Shielding > EMI Connector Gaskets > D-Sub Conn Gaskets for RFI/EMI Shielding



Gasket Type: **EMI Connector Gasket**

Filler Material: **Silver Plated Aluminum (Ag/Al)**

Product Thickness: **.8 mm [.031 in]**

Product Width: **74.4 mm [2.929 in]**

Operating Temperature Range: **-55 – 160 °C [-67 – 320 °F]**

[All D-Sub Conn Gaskets for RFI/EMI Shielding \(40\)](#)

Features

Product Type Features

| | |
|-----------------|--------------------------------|
| Filler Material | Silver Plated Aluminum (Ag/Al) |
|-----------------|--------------------------------|

Configuration Features

| | |
|---------------------|----|
| Number of Positions | 37 |
|---------------------|----|

Electrical Characteristics

| | |
|--------------------------|-----------|
| Resistance to Petroleum | No |
| Volume Resistivity (Max) | .008 Ω.cm |

Body Features

| | |
|-------------|----------------------|
| Gasket Type | EMI Connector Gasket |
|-------------|----------------------|

Dimensions

| | |
|-------------------|--------------------|
| Product Thickness | .8 mm [.031 in] |
| Product Width | 74.4 mm [2.929 in] |

Usage Conditions

| | |
|--|--|
| | |
|--|--|



| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 160 °C[-67 – 320 °F] |
|-----------------------------|----------------------------|

Product Compliance





[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: DCP (.22% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

| | | | |
|--|--|---|---|
|  <p>TE Part # 2488717-1 Conn G FNA 0.8mm D-Sub 37 Pin 1pk</p> |  <p>TE Part # 2488707-1 Conn G SNA 0.8mm D-Sub 37 Pin 1pk</p> |  <p>TE Part # CAT-EMIG-0009 D-Sub Conn Gaskets for RFI/EMI Shielding</p> |  <p>TE Part # 2488697-1 Conn G FNA 0.8mm D-Sub 37 Pin 10pk</p> |
|--|--|---|---|




TE Part # 2488687-1
Conn G SNA 0.8mm D-Sub 37 Pin 10pk

Also in the Series | Kemtron 95 Series



EMI Connector Gaskets(80)



Knitted Wire Mesh(6)



Medical EMI Gaskets(80)

Customers Also Bought




TE Part #074911-000
55A1821-20-9/96-9CS2275



TE Part #CW2824-000
R85049/128-7



TE Part #2560-201-2031L
CONT PIN



TE Part #CAT-P592-R472A
PIDG Ring Tongue Terminals



TE Part #60894-1
RECEPT,PIDG FASTON 22-18 110




TE Part #1478762-9
METAL BACKSHELL 9 WAY TOP E



TE Part #1-1617795-4
FCA-150-CY4=Relay



TE Part #5205980-1
SCREW RETAINER KIT



TE Part #MS27488-20-2
SEALING PLUGS



Documents

Product Drawings

[Conn G SSA 0.8mm D-Sub 37 Pin](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2430160-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2430160-1_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2430160-1_A.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[performance-materials-brochure](#)

English

[Connector Gaskets for RFI/EMI Shielding](#)

English

Product Specifications

[Application Specification](#)

English