




MTA 156

TE Internal #: 3-644633-3
PCB Mount Header, Right Angle, Wire-to-Board, 3 Position, 3.96 mm [.156 in] Centerline, Partially Shrouded, Gold (Au), Through Hole - Solder, MTA 156

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Type: **PCB Mount Header**
PCB Mount Orientation: **Right Angle**
Connector System: **Wire-to-Board**
Number of Positions: **3**
Centerline (Pitch): **3.96 mm [.156 in]**

Features

Product Type Features

PCB Connector Type	PCB Mount Header
Connector System	Wire-to-Board
Header Type	Partially Shrouded
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Connector Product Type	Connector Assembly

Configuration Features

PCB Mount Orientation	Right Angle
Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------



Contact Features

Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1.27 µm[50 µin]
Mating Square Post Dimension	1.14 mm[.045 in]
PCB Contact Termination Area Plating Material Thickness	.762 µm[29.92 µin]
Contact Shape & Form	Square
Contact Layout	Inline
Contact Mating Area Length	11.43 mm[.45 in]
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material	Gold (Au)
Contact Mating Area Plating Material Finish	Bright
Contact Mating Area Plating Material Thickness	.76 µm[29.92 µin]
Contact Type	Pin
Contact Current Rating (Max)	7 A
PCB Contact Termination Area Plating Material	Tin

Termination Features

Termination Post & Tail Length	3.18 mm[.125 in]
Square Termination Post & Tail Dimension	1.14 mm[.045 in]
Termination Method to PCB	Through Hole - Solder

Mechanical Attachment

Panel Mount Feature	Without
Mating Retention Type	Polarized Lock
Mating Alignment Type	Polarization
PCB Mount Retention Type	Pegs
PCB Mount Alignment Type	Pegs
PCB Mount Alignment	With
Mating Retention	With
PCB Mount Retention	With
Connector Mounting Type	Board Mount
Mating Alignment	With

Housing Features

Right Angle Bending Side	Front
--------------------------	-------



Centerline (Pitch)	3.96 mm[.156 in]
Housing Material	Polyester GF

Dimensions

PCB Thickness (Recommended)	1.57 mm[.062 in]
Connector Height	13.84 mm[.545 in]
Connector Length	5.08 mm[.463 in]

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
Compatible With Approved Standards Products	CSA LR7189, UL E28476
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	500
Packaging Method	Bag, Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUL 2017 (174) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 3-641218-3 03P MTA156 CONN ASSY 20AWG LF	 TE Part # 643071-3 03P MTA156 FD-THRU COVER	 TE Part # 3-644663-3 03P MTA156 CONN ASSY 20AWG LF	 TE Part # 3-644718-3 03P MTA156 CONN ASSY 18AWG ORA
 TE Part # 3-641219-3 03P MTA156 CONN ASSY 22AWG RED	 TE Part # CAT-103156-WBHS Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156	 TE Part # 3-641217-3 03P MTA156 CONN ASSY 18AWG ORA	 TE Part # 3-641229-3 03P MTA156 CONN ASSY 22AWG LF
 TE Part # 3-641227-3 03P MTA156 CONN ASSY 18AWG LF	 TE Part # 3-641220-3 03P MTA156 CONN ASSY 24AWG LF	 TE Part # 3-644460-3 03P MTA156 CONN ASSY 18AWG ORA	 TE Part # 3-644662-3 03P MTA156 CONN ASSY 22AWG LF
 TE Part # 643067-3 03P MTA156 MOLDED COVER	 TE Part # 640251-3 03P SL156 HSG W/O RAMP NATL	 TE Part # 640643-3 03P MTA156 COVER F/T	 TE Part # 640551-3 03P MTA156 COVER



Also in the Series | **MTA 156**

Connector Contacts(4)	Connector Hardware(2)	PCB Headers & Receptacles(677)	Power Contacts(3)
Rectangular Power Connectors(1178)	Standard Rectangular Connectors(667)	Wire-to-Board Connector Assemblies & Housings(594)	

Customers Also Bought

TE Part #YD369-B99-AP400000 369 9 WAY PANEL MNT REC, 90 PCB GOLD,PIN	TE Part #YD369-B99-NS400000 369 9 WAY PANEL MNT REC, 90 PCB GOLD,SKT	TE Part #YD369-B99-NP400000 369 9 WAY PANEL MNT REC, 90 PCB GOLD,PIN	TE Part #2-1623795-3 SQP2 R047 5% WIRE
TE Part #1-1630019-4 HSC200 2K4 5%	TE Part #1-1969694-4 PTL 1X4 PCB HEADER R/A HITEMP KEY A LGR	TE Part #9-2176397-4 3502 7K5 1%	TE Part #YDTS24T15-18PNV001 RECP ASSY
TE Part #YDTS24T21-35SNV001 RECP ASSY			



Documents

Product Drawings

03P MTA156 HDR ASSY R/A LF

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-644633-3_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-644633-3_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-644633-3_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Agency Approvals

UL

English