



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Polyester**

Number of Positions: **7**

Operating Temperature (Max): **105 °C [ 221 °F ]**

## Features

### Product Type Features

|                      |                     |
|----------------------|---------------------|
| Product Profile      | Standard            |
| Connector Cover Type | Strain Relief Cover |

### Configuration Features

|                     |   |
|---------------------|---|
| Number of Positions | 7 |
|---------------------|---|

### Body Features

|                          |           |
|--------------------------|-----------|
| Primary Product Color    | Natural   |
| Primary Product Material | Polyester |

### Mechanical Attachment

|               |      |
|---------------|------|
| Strain Relief | With |
|---------------|------|

### Housing Features

|                    |                   |
|--------------------|-------------------|
| Centerline (Pitch) | 3.96 mm [.156 in] |
|--------------------|-------------------|

### Usage Conditions

|   |                 |
|---|-----------------|
| Compatible With IDC Installation Type Connector | Feed Thru       |
| Operating Temperature (Max)                     | 105 °C [221 °F] |

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

### Industry Standards

|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|   |   |
|---|---|
| EU RoHS Directive 2011/65/EU                  | Compliant   |
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.  |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts





Also in the Series | **MTA 156**





PCB Headers &amp; Receptacles(677)



Power Contacts(3)



Rectangular Power Connectors(1178)



Wire-to-Board Headers &amp; Receptacles (677)

## Customers Also Bought

TE Part #EP9948-000  
C5E-26C442XUU9ATE Part #36922  
TERMINAL,SOLIS R 2/0 5/16TE Part #52369-1  
TERMINAL,PIDG SPD FLG 26-22 4TE Part #3-641217-3  
03P MTA156 CONN ASSY 18AWG  
ORATE Part #3-641227-3  
03P MTA156 CONN ASSY 18AWG LFTE Part #1600903-1  
2NDARY RCPT PWR VERT BLKHED MTTE Part #9-2232044-3  
3P, RAST 5 Tab Header, THVTE Part #5558065-1  
MJ ASSY,10POS,R/A,LPFTE Part #5745175-4  
CABLE CLAMP KIT,SZ 5

## Documents

### Product Drawings

07P MTA156 COVER F/T

English

### CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_640643-7\_N.2d\_dxf.zip



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_640643-7\\_N.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_640643-7\\_N.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_640643-7\\_R.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_640643-7\\_R.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_640643-7\\_R.2d\\_dxf.zip](#)

English

**3D PDF**

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### **Product Specifications**

**Application Specification**

Japanese

**Application Specification**

English

**MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)**

English

**MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)**

Japanese