



[CONNECTORS](#)

[RF CONNECTORS](#)



✓ Active

TE CONNECTIVITY (TE)

MMCX Str PCB Plg 50Ohm Gold

Microminiature Coax | PCF , STA

1-1634007-0

TE Internal Number: 1-1634007-0

[EU RoHS Compliant with Exemptions](#)

[EU ELV Compliant with Exemptions](#)

Connector Interface MMCX

Connector Style Plug

Impedance (Ω) 50

Connector & Contact Terminates To Printed Circuit Board

Termination Method to PC Board Through Hole - Solder

[↓ PRODUCT DRAWING](#)
English

[↓ 3D PDF](#)

DOCUMENTATION

Product Drawings

MMCX STRAIGHT PCB PLUG 50 OHMS

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

3D

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Catalog Pages/Data Sheets

1-1773725-8_RF_COAX_QRG

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Interface MMCX

Connector Style Plug

Connector & Contact Terminates To Printed Circuit Board

Configuration Features

PCB Mounting Orientation Vertical

Electrical Characteristics

Impedance (Ω) 50

Body Features

Body Material Brass

Body Plating Material Gold

Body Shape Square

Contact Features

Center Contact Plating Material Gold

Center Contact Material Brass

Termination Features

Termination Method to PC Board Through Hole - Solder

Dimensions

Height above PCB 4.5 mm [.177 in]

Mounting Post Length 3 mm [.118 in]

Packaging Features

Packaging Method Bag/Box

Packaging Quantity 50

Other

Dielectric Material PTFE

Grade Professional

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
