


B555 7X10 ANSI BLK,YEL/WHT PINCH POINT

# B555 7X10 ANSI BLK,YEL/WHT PINCH POINT

No  
Image  
Available



## Product Highlights

**Sign Size (H x W):**

7" x 10"

**Material:**

Aluminum



[Customize it!](#)


**Part Number:**

46626

**ADD TO CART**


1





### Add To Favorites

People Also Viewed



## Overview

This B-555 Aluminum Safety Sign is an aluminum sign panel, with protected graphics.

- B-555 signs are designed for use in light duty industrial, utility, commercial and institutional environments
- Non-Reflective Aluminum (B-555) is ideal for indoor and outdoor usage
- Uses UV inks and UV clear coat protection for fade resistance
- Withstands wind, rain, sunlight and high temperatures

## Specifications

Material Number	<b>B-555</b>
-----------------	--------------

Country of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.
Catalog Page #	42
Dimensions	7 in H x 10 in W x 0.035 in D
UOM	Sign
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Laminated	Not Laminated
Maximum Service Temperature °F	230 °F
Minimum Service Temperature °F	-40 °F
PSPA Photoluminescence Class	Not Illuminated
Product Number	46626
UPC	754473466268
Reverse Legend	No Reverse Text
Sign Size (H x W)	7" x 10"
Thickness	0.035 in
UNSPSC	55121704
Coating Material	Clear Overcoat
Color	Black on Yellow
Header	CAUTION
Language	English
Material	Aluminum
Material Properties	Rigid
Meets Industry Standards - Signs	ANSI Z53.1-1967
Mounting Type	Corner Holes
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	PINCH POINT KEEP HANDS CLEAR

## Solutions

Floor Marking Guide  
GHS Label Compliance  
Lockout Tagout Compliance  
Arc Flash Labeling Requirements  
Cable and Wire Label Options  
Product and Barcode Labeling

## Services

Lockout Tagout Services  
Arc Flash Services  
Confined Space Services  
Software Programming & Integration  
Label Template & File Conversion  
Printer Use & Training  
Printer Preventative Maintenance  
Toll and Custom Coating  
Authentication & Tracking Services

## Help

Contact Us  
Website Feedback  
Knowledge Center  
Printer Drivers & Firmware  
Brady Software Updates  
Safety Data Sheets  
Technical Data Sheets  
WEEE-RoHS Compliance  
Product Certification  
Printer Registration

## Resources

Find a Distributor  
Design Custom Safety Signs  
Create Custom THT Labels  
Printer Selection Tool  
Label Selection Tool  
Digital Catalog  
Request a Catalog  
Interactive Facility Map  
EPA e-Manifest Update

### Corporate


[About](#)  
[Careers](#)  
[Investors](#)  
[Privacy Policy](#)  
[Terms and Conditions](#)  
[Terms of Use](#)  
[ISO Certificates](#)

### Other BradyContact Sites

[Distributor Portal](#)  
[International Sites](#)  
[Safety Services & Software](#)  
[Brand Protection Solutions](#)

6555 W. Good Hope Rd.  
Milwaukee, WI 53223  
Phone: 888-250-3082  
Hours: 7am-6pm CT  
Monday - Thursday;  
Friday 7am-5pm CT

**Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.**



2019 Brady Worldwide, Inc.