




Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Circuit Application: **Signal**

Operating Temperature Range: -55 – 125 °C [-67 – 257 °F]

Features

Contact Features

Contact Type	Receptacle
Contact Base Material	Copper Alloy

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 024104-E
STVBUG C/2 48 CSI 172 9999 * J 2 484269



TE Part # 024069-E
STVBUG C 96 CSI 172 9999 * J 4 24069 FED



TE Part # 471555-E
VORCSI ENTRIEGELUNGSWERKZ. CSI-KONT. J 3



TE Part # 024070-E
STVBUG E 160 CSI 172 9999 * J 4 24070 FE

Customers Also Bought



TE Part #024069-E
STVBUG C 96 CSI 172 9999 * J 4 24069 FED




TE Part #ES415E2HD
ES415E2HD=RELAY



TE Part #ES215E3HD
ES215E3HD=RELAY



TE Part #CAT-AB0-E1626
Plastic Cable Glands With Locknut



TE Part #ES210E3HD
ES210E3HD=RELAY




TE Part #024070-E
STVBUG E 160 CSI 172 9999 * J 4 24070 FE



TE Part #6-1618400-7
EV200ARANA=CONTACTOR SPST-NO, 28Vdc Coil



TE Part #1622390-1
LR1 1% 22K1



Documents

Product Drawings

STVROL BUT 500 CSI 2026 207 * AL J 2 340

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_234063-E_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_234063-E_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_234063-E_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English