







PRODUCT NUMBER SEE SHEET 2



spec ref *				dr	Rainbow Zhan	2016/01/13	projection 	MM 	size	A3	scale	3:2	
tolerance std				eng	Rainbow Zhan	2016/01/20			ecn no				-
ASME Y14.5				chr	Fancy Zhang	2016/01/19			rel level				Released
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr	Pei-Ming Zheng	2016/01/20			product family				PwrBlade+
surface 	linear	0.X	±0.5		title 2HP + 24S + 2HP RA PF RECEPTACLE				dwg no 10106127-40060N1	rev A			
		0.XX	±0.25										
		0.XXX	±0.10										
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw			sheet 1 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Rainbow Zhan	2016/01/13	projection 	MM 	size	A3	scale	3:2		
eng	Rainbow Zhan	2016/01/20			ecn no				-	
chr	Fancy Zhang	2016/01/19								
appr	Pei-Ming Zheng	2016/01/20	product family		PwrBlade+	rel level			Released	
FCi			title		2HP + 24S + 2HP		dwg no		10106127-40060N1	
			RA PF RECEPTACLE						rev	A
www.fci.com			cat. no.		Product - Customer Drw				sheet 3 of 3	



Copyright FCI.