


## Modular Dust-Tight Equipment Cabinet *C3 Series*



### Features

- NEMA 12 rated - ideal for use in harsh factory floor situations.
- Oil resistant gaskets are permanently secured on all openings.
- Sides and doors (link provided below) are easily removable for easy internal access.
- Choice of two depths.
- Unit is shipped as a welded frame only with four (4) levelling feet.
- Heavy duty 14 gauge welded steel frame.
- Frame ships with reinforced lifting eyes.
- Finished in a rugged, beige textured powder paint.
- Tested to nearly double the suggested load rating of 1,500 lbs.
- RoHS Compliant.
- Manufactured in North America.

### Gallery



### Accessories

[Side Panel Locking Kit](#)

[Four Post Mounting Adjustable Depth Shelf](#)

[Sliding Keyboard Shelf](#)

[Outlet Strips](#)

[Horizontal Ring Cable Manager](#)

[Horizontal Lacing Strip](#)

[Horizontal Hinged Cable Guide](#)

[Vertical Cable Tray](#)

[Rack Panels](#)

[Caster Kit for C3 Cabinet Series](#)

[Climate Control](#)

[Universal Rack Shelf](#)

[Rack Mount Locking Storage Drawer](#)

[Four Post Mounting Sliding Shelf](#)

[Rack Unit Label](#)

[Adjustable Depth Cable Manager](#)

[Horizontal Hinged Cable Manager](#)

[Horizontal Steel Finger Cable Manager](#)

[Mounting Hardware](#)

[Grounding](#)

[C2/C3 Bolt Down Kit](#)

Part No. Beige	Overall Dimensions			Usable Mounting Dimensions			
	Height	Width	Depth	Rack Units	Height	Width	Depth
	A	B	C		H		
C3F196323CG1	70.31	23.00	23.63	36U	63.06	23.00	21.63
C3F197023CG1	77.31	23.00	23.63	40U	70.06	23.00	21.63
C3F197823CG1	86.06	23.00	23.63	45U	78.81	23.00	21.63
C3F196331CG1	70.31	23.00	31.50	36U	63.06	23.00	29.50
C3F197031CG1	77.31	23.00	31.50	40U	70.06	23.00	29.50
C3F197831CG1	86.06	23.00	31.50	45U	78.81	23.00	29.50

## C3 Mounting Rails

Part No. Tapped 10-32 Comination Rail	Part No. Square Hole L-Panel Rail	Mounting Dimensions	
		Rack Units	Height
CCR63TZPL	CPR63SZPL	36U	63.00
CCR70TZPL	CPR70SZPL	40U	70.00
CCR78TZPL	CPR78SZPL	45U	78.75

## C3 Doors

Part No. Solid Door With Handle	Part No. Solid Door With Quarter Turn	Part No. Window Door (Polycarbonate)	Part No. Solid Cover	Use with Cabinet Frame	
				Rack Units	Height
C3DS1963HCG1	C3DS1963QCG1	C3DS1963PCG1	C3CS1963SCG1	36U	63.00
C3DS1970HCG1	C3DS1970QCG1	C3DS1970PCG1	C3CS1970SCG1	40U	70.00
C3DS1978HCG1	C3DS1978QCG1	C3DS1978PCG1	C3CS1978SCG1	45U	78.75

## C3 Side Panels

Part No. Beige*	Use with Cabinet Frame		
	Rack Units	Height	Depth
C3SP6323CG1	36U	63.00	23.63
C3SP7023CG1	40U	70.00	23.63
C3SP7823CG1	45U	78.75	23.63
C3SP6331CG1	36U	63.00	31.50
C3SP7031CG1	40U	70.00	31.50
C3SP7831CG1	45U	78.75	31.50

## C3 Bottom Plinth

Part No. Black	Part No. Beige*	Use with Cabinet Frame Depth
CPL19423BK1	CPL19423CG1	23.63
CPL19431BK1	CPL19431CG1	31.50

## C3 Baying/Joining Kit

Part No. Beige*	Use with Cabinet Frame		
	Rack Units	Height	Depth
C3JK6323	36U	63.00	23.63
C3JK7023	40U	70.00	23.63
C3JK7823	45U	78.75	23.63
C3JK6331	36U	63.00	31.50
C3JK7031	40U	70.00	31.50

<b>Part No.</b>	<b>Use with Cabinet Frame</b>		
<b>Beige*</b>	<b>Rack Units</b>	<b>Height</b>	<b>Depth</b>
<b>C3JK7831</b>	45U	78.75	31.50

*Data subject to change without notice*

© 2014. Hammond Manufacturing Ltd. All rights reserved.