





Gecko-MT Connectors

Female Crimp Contacts

- 4-finger Beryllium Copper contact design on both signal and power contacts.
- Crimp barrel meets all crimp guidelines and standards.
- Instruction video online at www.harwin.com/harwintv.



GECKO-MT

CONTACTS	POWER CONTACT										
<p>26 AWG</p> 	<p>18 AWG</p> 										
<p>28 - 32 AWG</p> 	<p>WIRE STRIPPING DETAILS</p>  <p>18 AWG - Ø1.80 max 26 AWG - Ø0.80 max 28 to 32 AWG - Ø0.72 max</p> <p>1.50 to 1.75 - 26 to 32 AWG 1.90 to 2.30 - 18 AWG</p>										
TOOLS											
<p>Recommended Crimp Tools - Z125-900 (signal), Z125-903 (power)</p> <p>Positioner - Z125-901 (signal), Z125-904 (power)</p> <p>Contact Insertion/Removal Tool - Z125-902 (signal), Z125-905 (power)</p>	<ul style="list-style-type: none"> Female crimp housings shown on previous pages. Instruction sheets available at www.harwin.com/instructions. 										
HOW TO ORDER											
<p style="text-align: center;">G125 - 0XX 00 05</p> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <p>SERIES CODE</p> <table border="1" style="width: 100%;"> <thead> <tr> <th colspan="2">TYPE</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">001</td> <td>Female 26 AWG crimp contact</td> </tr> <tr> <td style="text-align: center;">002</td> <td>Female 28-32 AWG crimp contact</td> </tr> <tr> <td style="text-align: center;">050</td> <td>Female power crimp contact</td> </tr> </tbody> </table> </div> <div style="width: 30%; text-align: center;"> <p>FINISH</p> <table border="1" style="width: 100%;"> <tbody> <tr> <td style="text-align: center;">05</td> <td>Gold</td> </tr> </tbody> </table> </div> </div>		TYPE		001	Female 26 AWG crimp contact	002	Female 28-32 AWG crimp contact	050	Female power crimp contact	05	Gold
TYPE											
001	Female 26 AWG crimp contact										
002	Female 28-32 AWG crimp contact										
050	Female power crimp contact										
05	Gold										

All dimensions in mm.

Patent Published