



Connectors > Connector Accessories > Connector Backshells



Connector Backshell Product Type: **Backshell**

Primary Product Material: **PA 6**

Body Orientation: **90**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

Features

Product Type Features

Connector Backshell Product Type	Backshell
----------------------------------	-----------

Body Features

Primary Product Color	Black
Primary Product Material	PA 6

Housing Features

Body Orientation	90
------------------	----

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	

Current ECHA Candidate List: JAN 2025
 (247)
 Candidate List Declared Against: JAN 2025
 (247)
 Does not contain REACH SVHC

Halogen Content
 Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability
 Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2350890-3
 20POS, HYBRID, SOC HSG ASSY, SLD, COD C



TE Part # 2350890-2
 20POS, HYBRID, SOC HSG ASSY, SLD, COD B



TE Part # 2350890-3
 20POS, HYBRID, SOC HSG ASSY, SLD, COD C



TE Part # 2357302-2
 BACKSHELL, CONN KIT



TE Part # 2350891-1
 20POS, HYBRID, PIN HSG ASSY, SLD, COD A



TE Part # 2-2350891-2
 20POS, HYBRID, PIN HSG ASSY, SLD, COD B







TE Part # 1-2350890-1
 20POS, HYBRID, SOC HSG ASSY, SLD, COD A



TE Part # 1-2350891-2
 20POS, HYBRID, PIN HSG ASSY, SLD, COD B



Also in the Series | **DEUTSCH NTSEAL**



Customers Also Bought





Documents

Product Drawings

[BACKSHELL, CONN KIT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2357921-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2357921-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2357921-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[NTSEAL Sealed Wire-to-Wire Connectors](#)

English

Product Specifications

[Product Specification](#)

English