



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Voltage Contactor**

Contact Current Rating: **500 A**

Contact Arrangement: **1 Form X SPST-NO**

Current Type: **DC**

Coil Voltage Rating: **9 – 36 VDC**

Features

Product Type Features

Relay & Contactor Type	High Voltage Contactor
------------------------	------------------------

Configuration Features

Relay Options	Not RF Rated, Power Switching
Contact Arrangement	1 Form X SPST-NO

Electrical Characteristics

Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	500 A
Coil Voltage Rating	9 – 36 VDC
Coil Resistance	3.14 Ω

Contact Features

Contact Material	Copper
------------------	--------

Termination Features

Main Termination & Connection Type	Stud Terminals
Coil Termination & Connection Type	Flying Leads

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Chassis Mount



Operation/Application

Current Type	DC
--------------	----

Other

Contact Current Class	>200 – ≤500 A
-----------------------	---------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 4-1618002-8
EV500-5A=RELAY, PRESSURIZED, S



TE Part # 1618002-1
EV200A1ANA=RELAY,UN-ECON
EV200



TE Part # 2-1618013-6
PD350XB57=RELAY, PRESSURIZED,
EV200



TE Part # 5-1618413-0
EV600HVANM = CONTACTOR, SPST-
NO 12V COIL



TE Part # 4-1618002-4
EV500-4A=RELAY, PRESSURIZED, S



TE Part # 1618002-5
EV200AAACA=RELAY, EV200 SPST-N



TE Part # 2-1618002-3
EV250-1B=RELAY, SPST-NO



TE Part # 1-1618013-4
PD150XB57=RELAY, VACUUM, SPST-



TE Part # 4-1618002-9
EV500-5B=RELAY, PRESSURIZED, S



TE Part # 2-1618002-4
EV250-2A=RELAY, 12VDC SPST-NO



TE Part # 2-1618002-6
EV250-2B=RELAY, 24VDC SPST-NO



TE Part # 7-1618013-3
PD90XB57=RELAY, VACUUM, SPST-N



TE Part # 6-1618006-6
AP150XB57=RELAY, VACUUM, SPST-



TE Part # 4-1618002-5
EV500-4B=RELAY, PRESSURIZED, S

Also in the Series | **Kilovac EV200**



DC Relays(17)

Customers Also Bought



TE Part #CAT-T3437-Z1
Z-Type Push-On Markers



TE Part #1SNA125468R2200
M4/6.3A.N




TE Part #810314-SF
FN3268-16-44




TE Part #350790-3
03P UMNL PIN HDR ASSY 94VO LF



TE Part #6-534206-2
24 MODII VRT DR CE 100/115



TE Part #1888019-4
Shielded Right Angle Receptacle



TE Part #2344420-1
V23130K2421A431 W. MOUNTING
BRACKET 24V

Documents

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1618002-7_M.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1618002-7_M.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1618002-7_M.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[5-1773450-5_sec7_EV200A](#)

English

[KILOVAC EV200 Series Contactor With 1 Form X Contacts](#)

English

Agency Approvals

[CE Declaration of Conformity](#)

English