



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Voltage Contactor**
Contact Current Rating: **500 A**
Contact Arrangement: **1 Form X SPST-NO-DM**
Current Type: **DC**
Coil Voltage Rating: **12 VDC**

Features

Product Type Features

Relay & Contactor Type	High Voltage Contactor
------------------------	------------------------

Configuration Features

Auxiliary Switch Contact Arrangement	None
Contact Arrangement	1 Form X SPST-NO-DM
Contact Number of Poles	1

Electrical Characteristics

Contact Switching Voltage (Max)	900 VDC
Contact Current Rating	500 A
Coil Voltage Rating	12 VDC
Coil Resistance	11 Ω

Body Features

Enclosure Type	Environmentally Sealed
----------------	------------------------

Termination Features

Main Termination & Connection Type	M8 x 1.25
Coil Termination & Connection Type	10-32 Stud

Mechanical Attachment

Torque (Main)	80 – 100 in-lbs
Torque (Coil)	15 – 30 in-lbs



Product Mount Type	Chassis Mount
--------------------	---------------

Dimensions

Wire Size	.34 mm²
-----------	---------

Operation/Application

Current Type	DC
--------------	----

Packaging Features

Packaging Method	Individual
------------------	------------

Other

Contact Current Class	>200 – ≤500 A
-----------------------	---------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 4-1618391-2
[LEV100A6ANH=RELAY,SPST-NO, 48VDC VMT 15](#)

Also in the Series | **Kilovac LEV200**



[DC Contactors\(33\)](#)



[DC Relays\(33\)](#)



[Electromechanical Relays\(33\)](#)

Customers Also Bought



TE Part #350690-1
[UMNL PIN 24-18 PTPBR L/P](#)



TE Part #5-534206-3
[06 MODII VRT DR CE 100/115](#)



TE Part #5-535541-6
[08 MODIV VRT SR CE 100/115](#)



TE Part #3-1437622-0
[KN1251B1/4=KNOB BLK KNURL L/HA](#)




TE Part #5-1618388-8
[LEV200A6NAA=RELAY, SPST-NO](#)



TE Part #1825059-1
[ADF02S04=DIP SWT,FLUSH,SMT-GW](#)



TE Part #8-55854-2
[16-14 PRE-INSUL SEALED TERM R](#)



TE Part #86517-000
[FLDS803-51 LIQUID LEVEL SENSOR](#)

TE Part #2-1617030-4
[HFW1201F03 = HFW 1/2 SIZE RELA](#)

TE Part #8-1608065-4
[187-32T200=R3412](#)



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1618387-7_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1618387-7_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1618387-7_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

5-1773450-5_sec7_LEV200

English

Agency Approvals

CE Declaration of Conformity

English