



Part Number : [780451060](#)
Product Description : 2.00mm Pitch, Milli-Grid
Crimp Housing, 10 Circuits, with Center Polarization
Key and side Locking Ramps, Lead-Free
Series Number : 78045
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings

[780451060 sd.pdf](#)

3D Models and Design Files

[STEP AP242](#)

[SOLIDWORKS](#)

[Creo](#)

Specifications

[503940001-AS-000.pdf](#)

[PS-78045-001-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

[Compliance Statements](#)

- EU RoHS

- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Connector Housings
Series	78045
Description	2.00mm Pitch, Milli-Grid Crimp Housing, 10 Circuits, with Center Polarization Key and side Locking Ramps, Lead-Free
Application	Signal, Wire-to-Board
Comments	Applicable Wire Range: 24-30 AWG
Product Name	Milli-Grid
UPC	822350801171

Agency

CSA	LR19980
UL	E29179

Physical

Breakaway	No
Circuits (maximum)	10
Color - Resin	Black
Flammability	94V-0
Gender	Receptacle

Glow-Wire Capable	No
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	0.225/g
Number of Rows	2
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Polarized to Mating Part	Yes
Stackable	Yes
Temperature Range - Operating	-40° to +105°C

Mates With / Use With

Use with Part(s)

Description	Part Number
Use With	503948*** Crimp Terminals