



Part Number : [1552209019](#)

Product Description : Flamar Distribution Box Cable, WSOR Jacket, Unshielded, 19 Circuits, 3x(0.75mm²) with Green-Yellow Ground + 16x(0.34mm²) / 3x(19 AWG) with Green-Yellow Ground + 16x(22 AWG), 10.20mm (.402") Diameter, 100.0m (328.08') Length, Black

Series Number : 307963

Status : Obsolete

Product Category : Industrial Cable

Engineering Number : B80-19-1X100M


Documents & Resources

Specifications

[1552209001-P1E.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Obsolete
Category	Industrial Cable
Series	307963
Description	Flamar Distribution Box Cable, WSOR Jacket, Unshielded, 19 Circuits, 3x(0.75mm ²) with Green-Yellow Ground + 16x(0.34mm ²) / 3x(19 AWG) with Green-Yellow Ground + 16x(22 AWG), 10.20mm (.402") Diameter, 100.0m (328.08') Length, Black
Geographic Area	Global
Product Name	Flamar,Signal and Control
UPC	889056463478

Agency

UL	E172949
----	---------

Electrical

Current - Maximum per Contact	Contact Molex
Voltage - Maximum	600V

Physical

Bending Radius - Minimum	> 10xOD
Cable Length	100.0m
Circuits (Loaded)	19 (3+16)
Color - Cable Jacket	Black
Insulation	TPE

Material - Outer Jacket	WSOR
Net Weight	0.151/kg
Outer Jacket Diameter	10.20mm
Packaging Type	Reel
Temperature Range - Operating	-25° to +80°C
Wire/Cable Type	UL AWM 21215 / CSA
Wire Size (AWG)	19, 22
Wire Size mm ²	0.34, 0.75

Mates With / Use With

Use with Part(s)

Description	Part Number
Brad M23 Signal Connectors	<u>120230</u>
Brad M23 Signal Connectors	<u>120233</u>

This document was generated on Sep 23, 2025

Obsoleted