

NS 32 BLK UNPERF 2000MM-VPE 10 - DIN rail, unperforated



1201345

<https://www.phoenixcontact.com/nl/products/1201345>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, Pack of 10 (20 m), acc. to EN 60715, material: Steel, uncoated, G profile, color: white aluminum

The figure shows the version NS 32 in steel

Commercial data

Item number	1201345
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE7251
Product key	BE7251
GTIN	4017918155483
Weight per piece (including packing)	1.470 g
Weight per piece (excluding packing)	1.470 g
Customs tariff number	72166190
Country of origin	DE

NS 32 BLK UNPERF 2000MM-VPE 10 - DIN rail, unperforated




1201345

<https://www.phoenixcontact.com/nl/products/1201345>

Technical data

Dimensions

Dimensional drawing	
Width	32 mm
Depth	15 mm
Length	2000 mm

Material specifications

Color	white aluminium (RAL 9006)
Material	Steel
Coating	uncoated

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	acc. to EN 60715

Electrical tests

Short-time withstand current

Equivalent E-Cu cross-section	35 mm ²
Short-time current resistance 1s	4.2 kA
Max. permissible thermal nominal current for PEN function	125 A

NS 32 BLK UNPERF 2000MM-VPE 10 - DIN rail, unperforated




1201345

<https://www.phoenixcontact.com/nl/products/1201345>

Drawings

Dimensional drawing



NS 32 BLK UNPERF 2000MM-VPE 10 - DIN rail, unperforated



1201345

<https://www.phoenixcontact.com/nl/products/1201345>

Classifications

ECLASS

ECLASS-13.0	27400602
ECLASS-15.0	27400602

ETIM

ETIM 10.0	EC001285
-----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

NS 32 BLK UNPERF 2000MM-VPE 10 - DIN rail, unperforated



1201345

<https://www.phoenixcontact.com/nl/products/1201345>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

EF3.1 Climate Change

CO2e kg	2,618 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT B.V.
Hengelder 56 6902 PA Zevenaar
Postbus 246 6900 AE Zevenaar
(0316) 59 17 20
sales@phoenixcontact.nl