

ALU-SB - Shielding foil

1404531

<https://www.phoenixcontact.com/nl/products/1404531>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Shielding foil, for fixing the braided shield of shielded cables. Length: 4 cm, width: 1.2 cm



Commercial data

Item number	1404531
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AF6ZWX
Product key	AF6ZWX
GTIN	4046356698733
Weight per piece (including packing)	0,251 g
Weight per piece (excluding packing)	0,218 g
Customs tariff number	74102100
Country of origin	DE


ALU-SB - Shielding foil



1404531
<https://www.phoenixcontact.com/nl/products/1404531>

Technical data

Dimensions

Dimensional drawing	
	
Width	12 mm
Length	40 mm

Material specifications

Material	Copper, tin-plated
----------	--------------------

ALU-SB - Shielding foil


1404531

<https://www.phoenixcontact.com/nl/products/1404531>



Drawings

Dimensional drawing



ALU-SB - Shielding foil

1404531

<https://www.phoenixcontact.com/nl/products/1404531>



Classifications

ECLASS

ECLASS-13.0	27440192
ECLASS-15.0	27440192

ETIM

ETIM 10.0	EC002943
-----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

ALU-SB - Shielding foil

1404531

<https://www.phoenixcontact.com/nl/products/1404531>



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

EF3.1 Climate Change

CO2e kg	0,007 kg CO2e
---------	---------------

Phoenix Contact 2026 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT B.V.
Hengelder 56 6902 PA Zevenaar
Postbus 246 6900 AE Zevenaar
(0316) 59 17 20
sales@phoenixcontact.nl