

HT-SCE-1K-1/2-2.0-0

✓ ACTIVE

HT-SCE

TE Internal #: 0497070001

Black, Military, Ladder, Recovered ID 6.35 mm [.25 in], 2:1, 2

Markers per Sleeve, 29.63 mm [1.167 in] Length, 12.7 mm [.5 in]

Expanded Inside, HT-SCE

[View on TE.com >](#)



Identification & Labeling > Printable Tubing > HT-SCE High Temperature Sleeves



Printable Tubing Type: **Ladder**

Printable Tubing Grade: **Military**

Shrink Ratio: **2:1**

Primary Product Color: **Black**

Markers per Sleeve: **2**

[All HT-SCE High Temperature Sleeves \(51\)](#)

Features

Product Type Features

Printable Tubing Type	Ladder
Printable Tubing Grade	Military

Body Features

Shrink Ratio	2:1
Primary Product Color	Black
Markers per Sleeve	2

Dimensions

Product Length	29.63 mm[1.167 in]
Expanded Inside Diameter (Min)	12.7 mm[.5 in]
Recovered Inside Diameter (Max)	6.35 mm[.25 in]
Compatible Cable Diameter Range	6.6 – 11.4 mm[.26 – .449 in]

Usage Conditions

Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]
-----------------------------	----------------------------

Printer/Label Features

Printer Technology	Thermal Transfer
--------------------	------------------



Packaging Features

Packaging Quantity	1000
--------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2186502-1
T3224-PRINTER



TE Part # 1-2186500-1
T3212-PRINTER



TE Part # 1-2186503-1
T3224-SWARE-PRINTER




TE Part # 1-2186501-1
T3212-SWARE-PRINTER

HT-SCE-1K-1/2-2.0-0

Black, Military, Ladder, Recovered ID 6.35 mm [.25 in], 2:1, 2 Markers per Sleeve, 29.63 mm [1.167 in] Length, 12.7 mm [.5 in] Expanded Inside, HT-SCE





TE Part # 154739-000
T300-RIBBON-WH-4HT

Also in the Series | HT-SCE



Printable Tubing(16)

Customers Also Bought



TE Part #650148-000
D-436-0099

TE Part #1423154-6
2122DH34NCC629=




TE Part #1-1616037-6
DHR7B=CONTACTOR - 3PDT



TE Part #EK2680-000
55A1811-20-9-9CS2826-L307

TE Part #454189-000
55PC0211-16-9CS2665



TE Part #210261-000
HT-SCE-1K-3/8-2.0-0

TE Part #886943N001
207A412-13-0-CS5697

TE Part #867575-000
D-600-173-3-001

TE Part #CJ7153-000
82A0811-6-9CS3193

TE Part #843460N003
102A993-3/42-8-CS5500



Documents

Datasheets & Catalog Pages

HT-SCE High Temperature Heat Shrink Identification System

English

Cable Identification Product Shelf Life

English

Instruction Sheets

Instruction Sheet (non U.S.)

English