

**Cabtite**  
**CABTITE KVT 63-1****Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

Cabtite enables you to feed pre-assembled lines through the electrical cabinet wall while maintaining IP54-level protection. As the cable does not have to be split, the manufacturer's guarantee is not invalidated.

**General ordering data**

Type	CABTITE KVT 63-1
Order No.	<a href="#">1828240000</a>
Version	Cable gland, detachable, Cabtite, Plastic, Light Grey, Height: 21 mm, Width: 70 mm, Depth: 37 mm, -5 °C - 70 °C
GTIN (EAN)	4032248333752
Qty.	5 pc(s).

**Cabtite**  
**CABTITE KVT 63-1**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Width	70 mm	Width (inches)	2.756 inch
Height	21 mm	Height (inches)	0.827 inch
Depth	37 mm	Depth (inches)	1.457 inch
Net weight	87.6 g		

**General information**

AF size 1	75 mm	External thread	M 63
Inner cable diameter, max.	34 mm	Length of thread	14 mm
Material	Plastic	Note: protection class	IP54 with the correct choice of cable grommet
Operating temperature range, max.	70 °C	Operating temperature range, min.	-5 °C
Pitch of thread	1.5 mm	Protection degree	IP54

**Classifications**

ETIM 3.0	EC000441	ETIM 4.0	EC000441
ETIM 5.0	EC000441	ETIM 6.0	EC000441
UNSPSC	30-21-18-01	eClass 5.1	27-14-92-01
eClass 6.2	27-14-92-01	eClass 7.1	27-14-92-01
eClass 8.1	27-14-92-01	eClass 9.0	27-14-44-38
eClass 9.1	27-14-44-32		

**Product information**

Descriptive text ordering data      The splittable cable glands are supplied with locknut.

**Approvals**

ROHS      Conform

**Downloads**

Brochure/Catalogue      [CAT 5 ENCL 17/18 EN](#)  
 Engineering Data      [EPLAN, WSCAD](#)

## Cabtite CABTITE KVT 63-1

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

### large grommets



Cabtite enables you to feed pre-assembled lines through the electrical cabinet wall while maintaining IP54-level protection. As the cable does not have to be split, the manufacturer's guarantee is not invalidated.

### General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
CABTITE KT 25	<a href="#">1826380000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 25.00 - 26.00 mm, -20 °C - 80 °C	4032248329205	10 pc(s).
CABTITE KT 21 b	<a href="#">1828000000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 21.00 - 22.00 mm, -20 °C - 80 °C	4032248333516	10 pc(s).
CABTITE KT 17 b	<a href="#">1827960000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 17.00 - 18.00 mm, -20 °C - 80 °C	4032248333479	10 pc(s).
CABTITE KT 16	<a href="#">1825950000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 16.00 - 17.00 mm, -20 °C - 80 °C	4032248328666	10 pc(s).
CABTITE KT 23 b	<a href="#">1828020000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 23.00 - 24.00 mm, -20 °C - 80 °C	4032248333530	10 pc(s).
CABTITE KT 19 b	<a href="#">1827980000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 19.00 - 20.00 mm, -20 °C - 80 °C	4032248333493	10 pc(s).
CABTITE KT 32	<a href="#">1826440000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth:	4032248329267	10 pc(s).

Creation date April 9, 2018 4:22:31 AM CEST

**Cabtite**  
**CABTITE KVT 63-1**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

		19 mm, 32.00 - 33.00 mm, -20 °C - 80 °C	
CABTITE KT 24 b	<a href="#">1828030000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 24.00 - 25.00 mm, -20 °C - 80 °C	4032248333547 10 pc(s).
CABTITE KT 18	<a href="#">1826310000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 18.00 - 19.00 mm, -20 °C - 80 °C	4032248329137 10 pc(s).
CABTITE KT 19	<a href="#">1826320000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 19.00 - 20.00 mm, -20 °C - 80 °C	4032248329144 10 pc(s).
CABTITE KT 17	<a href="#">1826300000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 17.00 - 18.00 mm, -20 °C - 80 °C	4032248329120 10 pc(s).
CABTITE KT 27	<a href="#">1826400000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 27.00 - 28.00 mm, -20 °C - 80 °C	4032248329229 10 pc(s).
CABTITE KT 28	<a href="#">1826410000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 28.00 - 29.00 mm, -20 °C - 80 °C	4032248329236 10 pc(s).
CABTITE KT 22	<a href="#">1826350000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 22.00 - 23.00 mm, -20 °C - 80 °C	4032248329175 10 pc(s).
CABTITE KT 32 b	<a href="#">1828100000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 31.00 - 33.00 mm, -20 °C - 80 °C	4032248333615 10 pc(s).
CABTITE KT 16 b	<a href="#">1827950000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth:	4032248333462 10 pc(s).

**Cabtite**  
**CABTITE KVT 63-1**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

		19 mm, 16.00 - 17.00 mm, -20 °C - 80 °C	
CABTITE KT 26	<a href="#">1826390000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 26.00 - 27.00 mm, -20 °C - 80 °C	4032248329212 10 pc(s).
CABTITE KT 21	<a href="#">1826340000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 21.00 - 22.00 mm, -20 °C - 80 °C	4032248329168 10 pc(s).
CABTITE KT 23	<a href="#">1826360000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 23.00 - 24.00 mm, -20 °C - 80 °C	4032248329182 10 pc(s).
CABTITE KT 30 b	<a href="#">1828090000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 31.00 - 32.00 mm, -20 °C - 80 °C	4032248333608 10 pc(s).
CABTITE KT 30	<a href="#">1826430000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 31.00 - 32.00 mm, -20 °C - 80 °C	4032248329250 10 pc(s).
CABTITE KT 26 b	<a href="#">1828050000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 26.00 - 27.00 mm, -20 °C - 80 °C	4032248333561 10 pc(s).
CABTITE KT 24	<a href="#">1826370000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 24.00 - 25.00 mm, -20 °C - 80 °C	4032248329199 10 pc(s).
CABTITE KT 34	<a href="#">1826450000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 33.00 - 34.00 mm, -20 °C - 80 °C	4032248329274 10 pc(s).
CABTITE KT 20	<a href="#">1826330000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth:	4032248329151 10 pc(s).

**Cabtite**  
**CABTITE KVT 63-1**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

		19 mm, 20.00 - 21.00 mm, -20 °C - 80 °C	
CABTITE KT 20 b	<a href="#">1827990000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 20.00 - 21.00 mm, -20 °C - 80 °C	4032248333509 10 pc(s).
CABTITE KT 22 b	<a href="#">1828010000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 22.00 - 23.00 mm, -20 °C - 80 °C	4032248333523 10 pc(s).
CABTITE KT 28 b	<a href="#">1828070000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 28.00 - 29.00 mm, -20 °C - 80 °C	4032248333585 10 pc(s).
CABTITE KT 29 b	<a href="#">1828080000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 29.00 - 30.00 mm, -20 °C - 80 °C	4032248333592 10 pc(s).
CABTITE KT 34 b	<a href="#">1828110000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 33.00 - 34.00 mm, -20 °C - 80 °C	4032248333622 10 pc(s).
CABTITE KT 25 b	<a href="#">1828040000</a>	Cable grommet, large design, Cabtite, Plastic, Black, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 25.00 - 26.00 mm, -20 °C - 80 °C	4032248333554 10 pc(s).
CABTITE KT 29	<a href="#">1826420000</a>	Cable grommet, large design, Cabtite, Plastic, Light Grey, Height: 42 mm, Width: 41.5 mm, Depth: 19 mm, 29.00 - 30.00 mm, -20 °C - 80 °C	4032248329243 10 pc(s).